

| CHARACTERISTICS | UNITS | SPECIFICATIONS | | METHODS | |
|---------------------|----------|----------------|--------------|----------------|------------|
| | | MIN | MAX | ASTM | AFNOR |
| DENSITY AT 15°C | Kg/l | 0.900 | 0.930 | D 1298 | T 60 - 101 |
| VISCOSITY AT 100°C | cSt | - | 10.0 | D 445 | - |
| POUR POINT | ° C | - | + 36 | D 97 | - |
| CARBON CONRADSON | % wt | - | 0.5 | D 189 | |
| FLASH POINT | ° C | 70 | - | D 93 | M 07 - 019 |
| VACUUM DISTILLATION | | | | | |
| – IBP | ° C | 270 | - | D 1160 | - |
| – FBP | °C | - | 560 | | |
| ACIDITY | mg KOH/g | - | 0.10 | D 974 | - |
| ANILINE POINT | °C | 80 | 110 | D 611 | - |
| WATER & SEDIMENTS | % V | - | 0.10 | D 1796 | - |
| ASH | % W | - | 0.01 | D 482 | - |
| TOTAL NITROGEN | ppm | - | 1500 | D 4624 | |
| SULFUR | % wt | - | 2.5 | FLUORESCENCE X | |
| VANADIUM | ppm | - | 1 | FLUORESCENCE X | |
| IRON | ppm | - | 1 | FLUORESCENCE X | |
| NICKEL | ppm | - | 1 | FLUORESCENCE X | |
| SODIUM | ppm | - | 1 | FLUORESCENCE X | |
| COPPER | ppm | - | 1 | FLUORESCENCE X | |
| CHLORINE | ppm | - | 1 | D 6721 | |
| BROMINE | ---- | - | 6.0 | D 1159 | |
| COLOR | ---- | - | 5.0 | D 1500 | |

***100 % STRAIGHT RUN VACUM GASOIL**

